

Figure 1 Life expectancy and disability-free life expectancy (DFLE) at birth, persons by neighbourhood income level, England, 1999–2003




- Life expectancy
- DFLE
- Pension age increase 2026–2046

Figure 2 Age standardised mortality rates by socioeconomic classification (NS-SEC) in the North East and South West regions, men aged 25–64, 2001–2003


Mortality rate per 100,000





Notes: NS-SEC = National Statistics Socio-economic Classification Source: Office for National Statistics⁶


Figure 3 Age standardised percentage of women with a General Health Questionnaire (GHQ) score of 4 or more by deprivation quintile, 2001 and 2006



2001

2006

Figure 4 The Conceptual framework



Areas of action




Figure 6 Inequality in early cognitive development of children in the 1970 British Cohort Study, at ages 22 months to 10 years

Average position in distribution





Figure 7 Standardised limiting illness rates in 2001 at ages 16–74, by education level recorded in 2001

Percent ill



Males

Females

Note: Vertical bars (I) represent

confidence intervals

Source: Office for National Statistics

Longitudinal Study¹⁸

Figure 8 Mortality of men in England and Wales in 1981–92, by social class and employment status at the 1981 Census

Standardised Mortality Rate





Figure 9 Taxes as a percentage of gross income, by quintile, 2007/8

Percent





Quintile of household equivalised disposable income

All indirect taxes

All direct taxes

Figure 10 Populations living in areas with, in relative terms, the least favourable environmental conditions, 2001–6






Environmental conditions: river water quality, air quality, green space, habitat favourable to biodiversity, flood risk, litter, detritus, housing conditions, road accidents, regulate sites (e.g. landfill)

Source: Department for Environment, Food and Rural Affairs²³

Figure 11 Prevalence of obesity (>95th centile), by region and deprivation quintile, children aged 10–11 years, 2007/8

Prevalence of obesity



- Quintile 1 (least deprived)
- Quintile 2
- ▲ Quintile 3
- × Quintile 4
- Quintile 5 (most deprived)

Region of residence

Source: National Obesity Observatory, based on National Child Measurement Programme²⁴